Fully Automatic Toilet Suites

THRONE
Toilet Systems

TANKLESS®



V.22

Innovation & Style Like Never Before



Currently to achieve this clean look, a Cistern has to be mounted into the wall. Although this system is fine on new construction, when it comes to renovation it becomes a costly exercise.

The Problem

Installation is complicated, it requires major modifications.



The THRONE range of toilets are totally tankless.
They get their water supply direct from the main supply.
Available in P-trap and variable S-trap.

The Solution

Installation is so simple, no modifications required.

Complete toilet suite - no bidet



TANKLESS®

Auto flush, Soft close, Toilet.

For detailed information and instructions scan below or **click here**



Toilet Only - No Bidet function

Siphon water jet, Tornado flushing

Waste is flushed by the use of high pressure jet nozzles, known as Tornado flushing. This system, while extremely efficient uses only a small amount of water with its Siphon water jet technology.



Super water saving toilet

The system features perfect flushing even with low water pressure (1.5kgs/cm2. 20L/min) with a considerable water saving.

Hi-tech wireless remote

Auto flush is available by wireless remote control.




Ergonomic seat design

Toilet seat design has been relatively conventional for the past 20 years, but the new Tankless digital toilet introduces an advanced square design with a wider seat. This has been ergonomically designed to meet the comfort needs of our contemporary human body.

Seat sensor

The seat sensor detects when you sit down on the seat and allows the toilet to flush when you leave.



Night light

The LED light is designed to light up the bowl making it easier to use at night.

S-Trap / P-Trap Compatible

Less cost against wall-hung toilet system.

WMTS 051
20094

E5780


ABCB

IPX4

Auto flushing

A small flush will be used if the seat is occupied for less than 25 seconds.

A full flush will be used when the seat is occupied for over 25 seconds. Dual auto flush is available by seat sensor after the user stands up.



Heated seat

The seat temperature is adjustable.

Soft Close

The seat and lid close down softly.

3 year factory warranty


Prince



Tankless, Auto flush, Warm Water Wash, Warm Air Dry, Soft close, Bidet, Toilet.

For detailed information and instructions scan below or **click here**

TANKLESS®





Auto flushing

A small flush will be used if the seat is occupied for less than 25 seconds.

A full flush will be used when the seat is occupied for over 25 seconds.

Dual auto flush is available by seat sensor after the user stands up.

Hi-tech wireless remote

Auto flush is available by wireless remote control.



Seat sensor

The seat sensor detects when you sit down on the seat and allows the toilet to flush when you leave.

Heated seat

The seat temperature is adjustable.




Super water saving toilet

The system features perfect flushing even with low water pressure (1.5kgs/cm2. 20L/min) with a considerable water saving.

Siphon water jet, Tornado flushing

Waste is flushed by the use of high pressure jet nozzles, known as Tornado flushing. This system, while extremely efficient uses only a small amount of water with its Siphon water jet technology.



1 Pocket 3 Way Nozzle

Posterior wash: cleanses the posterior
Feminine wash: cleanses the vaginal area comfortably with clean aerated water.
Enema wash: sends off a stream of clean water into the rectum to help pass a motion

Soft Close

The seat and lid close down softly.



S-Trap / P-Trap Compatible

Less cost against wall-hung toilet system.

WMTS 051 20094 E5780 JAS-ANZ ABCB IPX4

Complete toilet bidet suite




For detailed information and instructions scan below or **click here**

Tankless, Auto flush, Auto open, Auto close,
Soft close, Warm Water Wash, Warm Air Dry, Bidet, Toilet.

Automatic open/close of toilet seat and lid

When you stand in front of the toilet
the lid automatically opens
and when you move away from the toilet
the lid automatically closes.





Auto flushing

A small flush of about 3L will be used if the seat is occupied for less than 25 seconds.

A full flush of about 4.5L will be used when the seat is occupied for over 25 seconds.

Dual auto flush is available by seat sensor after the user stands up.



Hi-tech wireless remote

Auto flush is available by wireless remote control.

Seat sensor

The seat sensor detects when you sit down on the seat and allows the toilet to flush when you leave.




Heated seat

The seat temperature is adjustable.

Super water saving toilet

The system features perfect flushing even with low water pressure (1.5kgs/cm2. 20L/min) with a considerable water saving of 3L for a half flush and 4.5L for a full flush.



Siphon water jet, Tornado flushing

Waste is flushed by the use of high pressure jet nozzles, known as Tornado flushing. This extremely efficient system uses only a small amount of water with its Siphon water jet technology.


1 Pocket 3 Way Nozzle (Stainless)

Posterior wash: cleanses the posterior
Feminine wash: cleanses the vaginal area comfortably with clean aerated water.
Enema wash: sends off a stream of clean water into the rectum to help pass a motion



Soft Close

The seat and lid close down softly.



S-Trap / P-Trap Compatible

Less cost against wall-hung toilet system.

Night light

The LED light is designed to light up the bowl making it easier to use at night.

WMTS 051 20094 E5780 ABCB IPX4


FOR INSTALLATION, THE PRODUCT REQUIRES MINIMUM 200KPA TO MAXIMUM 600KPA WATER PRESSURE WITH 20L PER MINUTE FLOW


Installation:

To be carried out by a licensed plumber. Installation as per local region, council plumbing specifications and plumbing codes additional back flow device may be a requirement

Electrical:

Standard 10 amp power point required






WMTS 051 20094 E5780 ABCB IPX4


WARNING: THIS TOILET DOUCHE SEAT MUST BE INSTALLED WITH APPROPRIATE BACKFLOW PROTECTION CONFORMING TO THE NATIONAL CONSTRUCTION CODE - VOLUME THREE AND THE PCA.

Floor drain S-Trap





Set out (S-Trap) 150-350mm.
Flexi pipe may be required.
Standard set out 305mm.

Wall drain P-Trap






180mm Set out (P-Trap)





You must contact our helpdesk to get the correction fittings as there are three different models required

Product Model				
		Pan: Ceramic	Pan: Ceramic	Pan: Ceramic
Product Dimension				
Cleansing	Posterior Wash	N/A	●	●
	Feminine Wash	N/A	●	●
	Enema	N/A	●	●
	Kid	N/A	N/A	N/A
	Oscillating	N/A	●	●
	Pulsating	N/A	●	●
	Rhythm	N/A	●	●
	Nozzle Position	N/A	5 Level	5 Level
	Water Pressure	N/A	5 Level	5 Level
Comfortable	Water Heating	N/A	Preheated	Preheated
	Heated Seat	●	●	●
	Dry	N/A	●	●
	Deodorant	N/A	●	●
	Water Temperature	N/A	3 Level	3 Level
	Seat Temperature	N/A	3 Level	3 Level
	Dry Temperature	N/A	3 Level	3 Level
	Remote control	●	●	●
	Auto Flushing	●	●	●
	Damper	●	●	Auto Open/Close
	Power Saving	●	●	●
Safe	Seat Sensor	●	●	●
	Burn Protecting	●	●	●
	Emergency Button	●	●	●
	Anti Bacterial Seat	●	●	●
	Nozzle Cleaning	N/A	●	●
	Night Light	●	●	●



The **THRONE** range of **TANKLESS** toilets and bidets give architects and designers a freedom they have never experienced previously in designing bathrooms and toilet areas.

As the products do not need a cistern in the wall or on the wall the rules of where you can place a toilet have been changed forever.

All our electronic bidet products conform to - AS 2845.2 Minimum Air Gap/AVB Supplementary Dual CV - https://watermark.abcb.gov.au/product-search/certificate/020094 as of 23/07/2024

The® BIDET SHOP

WWW.THRONEBIDET.COM.AU

Sales Enquiries 1300 243 387 | sales@thebidetshop.com.au
www.thebidetshop.com.au