ECO EB-R500

EVERY LUXURY FEATURE, A FRACTION OF THE POWER

Eco Bidets are manufactured specifically for Australia. The range is ergonomically designed for your comfort and includes all the features you would expect from a premium bidet.

The EB-R500 is the flagship of the Eco Bidet range, incorporating all of the features of other luxury bidets while using a fraction of the electricity. It simply replaces your existing toilet seat, and all the parts for a standard installation come in the box.



WHAT MAKES THE EB-R500 DIFFERENT

Designed for comfort and efficiency, the EB-R500 pairs a touch-pad remote with instant heating, so you get warm water in seconds without keeping a tank hot.



TWO PERSON MEMORY

The touch-pad remote remembers the preferred nozzle position, water pressure and water, seat and dryer temperatures of two different users. One press brings back your settings.



INSTANT HEAT

INSTANT HEAT & DRY

Press wash and in a few seconds a gentle stream of warm water cleans you thoroughly. Then press dry for a gentle flow of warm air.

POWER SAVING

MOST ADVANCED POWER SAVING

Each wash costs less than a quarter of a cent. Along with the savings in toilet paper, the Eco Bidet does a lot for the environment.



EASY GUIDE TO THE EB-R500 REMOTE CONTROL



THE TOUCH PAD MAKES OPERATING THE REMOTE SO EASY



Save a user preset: set your preferences, then hold STOP and ▲ (user 1) or STOP and ▼ (user 2) for 3 seconds.

The remote hangs in a wall bracket and runs on 4 x AAA batteries.





BUILT FOR THE WHOLE FAMILY

Press Child and the nozzle position, water pressure and temperatures are automatically adjusted for children, with the seat temperature dropped to room temperature.

For easy cleaning, the bidet seat can be removed with just the press of a button, so you can clean underneath.

180 kg
Safe working load

< ¼ cent
Electricity cost per wash

2 users
Preset memory on the remote

HYGIENE & EVERYDAY COMFORT



WARM WATER CLEANSING + 5 PRESSURE LEVELS



WARM AIR DRYING



HEATED SEAT



WASH, BIDET & ENEMA

Rear wash and bidet (front) wash run for 1 minute. Enema wash runs for 2 minutes to help relieve constipation.



MASSAGE, PULSE & BUBBLE WASH

Massage moves the nozzle back and forth, pulse changes the pressure from strong to weak, and bubble wash adds comfort.



SELF-CLEANING STAINLESS NOZZLE

A single stainless steel nozzle cleans itself before and after use. Hold Wash on the side panel for 3 seconds for a manual clean.



DEODORISER

Starts automatically when you sit down, drawing air from the bowl through a charcoal block to neutralise smells.



COLLOIDAL SILVER FILTER

Unscrews easily from the T-piece. It protects your bidet from waterborne particles and helps remove bacteria, germs and viruses.



ANTIMICROBIAL PLASTIC

The seat, lid and top case have an antimicrobial coating to stop bacteria from living on your bidet.

SMART, SAFE & EFFICIENT





QUICK RELEASE

Remove the bidet with the press of a button to clean underneath. It fits toilets with or without access to the seat bolts.

GERM & VIRUS PROTECTION

The colloidal silver impregnated ceramic filter helps remove bacteria, germs and viruses.

SEAT SENSOR

Functions only work when you're seated properly on the user sensor.

ENERGY SAVING

Automatic mode keeps the seat at 32°C. Learning mode remembers when you use the bidet and heats it ready for those times.

SITZ BATH

When the wash time is set to 3 minutes or longer, a sitz bath is possible.

NIGHT LIGHT

Hold + for 3 seconds to turn the night light on or off.

REMOTE ID

If more than one unit is installed nearby, each remote can be given its own ID.

SOFT CLOSE

Hydraulic dampers let the seat and lid close softly.



INSTALLATION & FIT

The EB-R500 is a retrofit bidet seat and must be installed by a licensed plumber in accordance with the Plumbing Code of Australia (PCA) and WMTS 051:2016 Bidet Douche Seats.

It conforms to AS 2845.2 Minimum Air Gap / AVB with a supplementary dual check valve, and must be installed with appropriate backflow protection conforming to the National Construction Code, Volume Three.

Before installing, check:

- Whether your tap is on the left, right or inside the cistern
- A power point within 1.5 m on the right of the toilet
- Whether you have access to the toilet seat bolts
- Your toilet measurements and seat size (see the last page)

> **Please note:** Looking at the toilet, the power lead is on the **right-hand side** and the water connection on the **left-hand side**. **This cannot be changed.** Top and bottom fixing bolt sets are both included.

ADDITIONAL PRODUCTS THAT MAY BE REQUIRED

IF YOUR TOILET / TAP IS...	YOU WILL NEED
Tap on the left-hand side	No extra parts. T-valve, dual check, filter and hoses supplied
Tap on the right-hand side	1 m of ¼" white pipe + 2 x John Guest adaptors
Tap in the cistern	½" Internal Fitting Kit + 1 x John Guest adaptor + 1 m of white pipe
Wall-mounted or cistern-in-wall tap	Additional fittings may be needed. Contact us to confirm
Toilet with arms/rails or a spacer	Extension brackets or extra long bolts may be required. Contact us before ordering

SPECIFICATIONS

Model	Eco EB-R500 · Regular / Elongated
Power	AC 240 V · 50 Hz · 1,670 W max
Water pressure	100 – 680 kPa
Dimensions (W x D x H)	Regular 406 x 498 x 145 mm · Elongated 406 x 528 x 145 mm
Net weight	4.5 kg (Regular) · 4.7 kg (Elongated)
Safe working load	180 kg
WASH	
Wash functions	Wash (rear), bidet (front), enema, child, massage, pulse, bubble wash
Flow	0.7 L/min · 5-step pressure control
Water temperature	Room temp to 38 °C · instant heating (1,600 W)
Nozzle	Single stainless steel · 5 positions · self-cleaning
COMFORT	
Heated seat	Room temp to 42 °C · 55 W
Warm air dryer	Room temp to 50 °C · 5 levels · 3 min cycle · 250 W
HYGIENE & SAFETY	
Filtration	External colloidal silver ceramic filter · replace every 6 months
Deodoriser	Charcoal, catalytic deodorisation (automatic)
Other	User presets (2), automatic & learning energy saving, night light, seat sensor, soft close, quick release, IPX4
Remote control	Touch pad · 4 x AAA batteries · wall bracket included



WHAT'S IN THE BOX

EB-R500 bidet seat, bottom fixing bolts (bolts, nuts, washers, rubber cone packings), top fixing bolts (bolts, rubber fixing grommets, washers), bracket, sliders and bracket holders, deodorizing cartridge, dual check valve, filter, T-valve, water feed hoses for the toilet and bidet, remote control and holder, and 4 x AAA batteries.

2 YEAR

2 YEAR WARRANTY

1 year full replacement + 1 year parts & labour. Extend to 4 years in total by purchasing the extended warranty within the first 2 years. All products must be installed by a licensed plumber in accordance with WMTS 051:2016 Bidet Douche Seat.



LUXURY FEATURES, MADE FOR AUSTRALIA

With instant heat, two-person memory and the most advanced power saving in the range, the EB-R500 is available in Regular and Elongated sizes. Specific toilet measurements are required for compatibility.

EB-R500 Regular Seat

This bidet will fit on your existing toilet suite if the measurements of your pan are:

A: 490mm or above
B: Between 135 - 195mm
C: 320mm or above
D: 410mm or above



SWL: 180KG · C at 330mm preferred

EB-R500 Elongated Seat

This bidet will fit on your existing toilet suite if the measurements of your pan are:

A: 520mm or above
B: Between 135 - 195mm
C: 340mm or above
D: 440mm or above



SWL: 180KG

IPX4 WMTS 051 20094 E5780

Top or bottom fixing bolt options available. To be installed by a licensed plumber. A power point and tap are required. Water pressure 100 – 680 kPa.