NATIONAL N-1000

ALL THE FEATURES, AT A BUDGET PRICE

National is proudly Australia's own brand, built with the Australian consumer in mind. Its bidets are Australian WaterMarked and certified to ensure high standards of safety and quality.

This fully functional bidet with a simple remote control gently cleanses and dries, leaving you feeling refreshed. It has all the iconic features, plus a one-button wash, fast heat, advanced self-cleaning nozzles and a self-diagnosis function.



WHAT MAKES THE N-1000 DIFFERENT

National is one of the fastest selling bidets in the country, with all the features of more expensive bidets at a budget cost.



SIMPLE REMOTE CONTROL

A flat, easy-to-read remote mounts on the wall with its own bracket, so every function is visible and within reach from the toilet.



ONE NOZZLE, THREE WASHES

STAINLESS STEEL NOZZLE

A self-cleaning stainless steel nozzle does the rear, feminine and intensive (enema) wash, and can be set to oscillate and pulse.

GERM PROTECTION

SILVER ION FILTER

A sediment filter removes particles before water enters the bidet, protecting the heating system. Water then passes through ceramic balls with silver ions that attack bacteria, germs and viruses.



EASY GUIDE TO THE N-1000 REMOTE CONTROL



EVERYTHING AT YOUR FINGERTIPS



Sit on the seat, then press **Wash**, **Bidet** or **Intensive**. Press the same button again for a back-and-forth massage, or press it a third time to stop the massage.

Press **Stop** at any time. Hold Stop for 3 seconds for sleep mode.





BUILT FOR THE WHOLE FAMILY

Child mode runs an automatic cycle with an extended nozzle position, lower water pressure and lower temperatures, followed by drying. A blue LED night light lets you see the toilet without turning on the bathroom light.

For easy cleaning, press the lever plate and the bidet slides straight off its catch plate.

180 kg

Safe working load

$990

All the features of more expensive bidets

Remote

Wall-mountable, with a wall bracket included

HYGIENE & EVERYDAY COMFORT



WARM WATER CLEANSING + 5 PRESSURE LEVELS



WARM AIR DRYING



HEATED SEAT



WASH, BIDET & INTENSIVE

Rear wash, front (bidet) wash and an intensive wash that helps relieve constipation. Each runs for 1 minute.



MASSAGE, PULSE & 5-STEP NOZZLE

Press a wash button again to move the nozzle back and forth. Pulse makes the pressure repeat high and low, and the nozzle position adjusts in 5 steps.



SELF-CLEANING STAINLESS NOZZLE

The nozzle cleans itself, and a Nozzle Cleaning button extends it for a manual clean with a brush.



GERM PROTECTION FILTER

Sediment filter plus silver ion ceramic balls to attack bacteria, germs and viruses.



AUTOMATIC DEODORISING

Starts automatically when you sit down and runs for a minute after you stand up (with the deodorizing cartridge fitted).



BLUE LED NIGHT LIGHT

Gives enough light to see the toilet at night. Hold + for 3 seconds (while not seated) to turn it on or off.

SMART, SAFE & EFFICIENT





HEATED SEAT & CONTINUOUS WARM WATER

Seat and water each have off, low, middle and high settings. Low-burn protection lowers the seat temperature during long sits.

WARM AIR DRYER

Press Dry for 3 minutes of warm air, with 5 temperature levels adjusted using the + / − buttons on the remote.

SEAT SENSOR

Functions only work when the seat is occupied. Hold Pulse for 3 seconds to release the sensor if needed.

ENERGY SAVING

Automatic mode keeps the seat and water at 32°C. Powerful mode turns the heaters off until someone sits down.

SITZ BATH

Press Nozzle Cleaning during a wash for a gentle 5-minute sitz bath at the lowest pressure.

SELF-DIAGNOSIS

If a sensor fault occurs, the water temperature lights blink in a pattern to help our team diagnose it.

REMOTE ID

Installing more than one bidet nearby? Each can be given its own remote ID so the remotes don't interfere.

ONE-TOUCH RELEASE

Press the lever plate and slide the bidet forward to clean underneath.



INSTALLATION & FIT

The N-1000 is a retrofit bidet seat and must be installed by a licensed plumber in accordance with the Plumbing Code of Australia (PCA) and WMTS 051:2016 Bidet Douche Seats.

It conforms to AS 2845.2 Minimum Air Gap / AVB with a supplementary dual check valve, and must be installed with appropriate backflow protection conforming to the National Construction Code, Volume Three.

Before installing, check:

- Whether your tap is on the left, right or inside the cistern
- A power point within 1.5 m on the right of the toilet
- Whether you have access to the toilet seat bolts
- Your toilet measurements (see the last page)

Please note: Looking at the toilet, the power lead is on the **right-hand side** and the water connection is on the **left-hand side**. **This cannot be changed.** Top and bottom fixing bolt options are available.

ADDITIONAL PRODUCTS THAT MAY BE REQUIRED

IF YOUR TOILET / TAP IS...	YOU WILL NEED
Tap on the left-hand side	No extra parts. T-valve and water supply hose supplied
Tap on the right-hand side	1 m of ¼" white pipe + 2 x John Guest adaptors
Tap in the cistern	½" Internal Fitting Kit + 1 x John Guest adaptor + 1 m of white pipe
Top or bottom fixing toilet	Fixing bolts supplied
Toilet with arms/rails or a spacer	Extension brackets or extra long bolts may be required. Contact us before ordering

SPECIFICATIONS

Model	National N-1000 · Round seat
Power	AC 220 – 240 V · 50 Hz · 870 W max
Water pressure	100 – 680 kPa
Feed water temperature	3 – 35 °C
Dimensions (W x D x H)	470 x 496 x 178 mm
Net weight	4.9 kg
Safe working load	180 kg
WASH	
Wash functions	Wash (rear), bidet (front), intensive, child, oscillating, pulsating, sitz bath
Water pressure	5 levels
Water temperature	Off / low / middle / high · continuous heated water
Nozzle	3 spray tip, stainless steel · 5 positions · self-cleaning
COMFORT	
Heated seat	Off / low / middle / high · low-burn protection
Warm air dryer	Room temp to 40 °C · 5 levels · 3 min cycle
HYGIENE & SAFETY	
Filtration	External filter · silver ion & antimicrobial plastic
Deodoriser	Catalytic deodorization (automatic)
Other	Energy saving (2 modes), seat sensor, soft close, one-touch release, night light, IPX4
Controls	Wall-mountable remote (2 x AA) · side control panel



WHAT'S IN THE BOX

National N-1000 bidet seat, remote control and wall bracket, 2 x AA batteries, top mount metal bolts, top mount rubber nuts, washers, T-valve, bracket holders, water supply hose, catch plate, deodorizing cartridge (model dependent), and optional spare nut and rubber washer.

2 YEAR

2 YEAR WARRANTY

1 year full replacement + 1 year parts & labour. Extend to 4 years in total by purchasing the extended warranty within the first 2 years. All products must be installed by a licensed plumber in accordance with WMTS 051:2016 Bidet Douche Seat.



SIMPLE, SMART AND GREAT VALUE

With a simple remote control, heated seat, warm air dryer and a 180 kg rating, the N-1000 has everything you need. Specific toilet measurements are required for compatibility.

N-1000 Round Seat

This bidet will fit on your existing toilet suite if the measurements of your pan are:

A: 490mm or above
B: Between 135 - 195mm
C: 320mm or above
D: 410mm or above



SWL: 180KG · at C = 320mm some porcelain may be visible; 330mm is preferred

Measuring your toilet

A: cistern front to pan front
B: bolt hole centre to centre
C: inner front rim to inner back rim
D: bolt holes (mid) to pan front

Top or bottom fixing bolt options available.

IPX4 WMTS 051 20094 E5780

To be installed by a licensed plumber. A power point and tap are required. Water pressure 100 – 680 kPa.